

FRANKLIN COUNTY, FLORIDA  
ORDINANCE NO. 99- 9

AN ORDINANCE AMENDING ORDINANCE NO. 96-20 ESTABLISHING STANDARDS FOR ROOF SHEATHING, AND PROVIDING A PENALTY.

**WHEREAS**, the Franklin County Board of County Commissioners has adopted the Standard Building Code, and

**WHEREAS**, the Franklin County Board of County Commissioners has learned from the County Building Official that there is a need to clarify ORDINANCE NO. 96-20 that all roof sheathing material needs to be at minimum of 5/8 inch thick.

**NOW, THEREFORE, BE IT ORDAINED BY THE FRANKLIN COUNTY BOARD OF COUNTY COMMISSIONERS, FRANKLIN COUNTY, FLORIDA**, that:

The following sections of the Standard Building Code are amended by the Franklin County Board of County Commissioners:

Section 2309.3.1 ROOF SHEATHING, is amended such that all rafters and roofjoists shall be covered with one of the following sheathing materials:

1. Lumber, solid sheathing of wood boards 5/8 inch (15.9 mm) (net) minimum thick, or spaced sheathing of wood board 3/4 inch (19.1 mm) (net) minimum thick.

A violation of the Standard Building Code as amended, shall be a misdemeanor, punished by a fine not to exceed \$500.00 or confinement in the Franklin County jail not to exceed sixty days.

This Ordinance adopted in open regular meeting this 1 day of June, 1999, after notice of intent to consider same has been made and kept in the Ordinance Book of the clerk of the Board for at least fifteen (15) days, exclusive of Sundays and legal holidays, and the title and substance hereof published according to law in the Apalachicola Times, a newspaper of general circulation within the county.

This Ordinance shall take effect when notice of a receipt of a certified copy of same is returned from the Secretary of State.

THE BOARD OF COUNTY COMMISSIONERS  
OF FRANKLIN COUNTY, FLORIDA

BY: Clarence Williams  
Chairman



Paul Wade  
Clerk